

# ROTARY SLASHERS TOPPERS & BRUSHCUTTERS



**FIELDMASTER**

## SABRE

18-40hp



## M-SERIES

35-80hp



## HD-SERIES

50-130hp



*...gear that gets the job done!*




# THE SABRE RANGE

The Sabre Range is available in two models: the 1200 and 1500. They are ideal on small blocks and lifestyle properties. Like all Fieldmaster products, the Sabre Range is built tough with quality components for years of service. Sabre Slashers can easily be specified with enhanced features for cleaner finishing for the more discerning operator. Suitable for tractors 18 - 40hp, the Sabre Range represents an economical, tough solution for cutting grass or topping overgrowth around the property.

## Options Available

- 4 blade cutting kit on square plate
- Full width rear roller
- Anti-windrow spreader vane (helps to spread cut grass)
- Friction or over-run clutch on driveshaft



## GOLD TIPS




# THE 'M' SERIES

The 'M' Series Slasher / Toppers are designed with the orchard, vineyard and farm paddocks in mind. 'M' Series is suitable for 40-80hp tractors. Built-in smarter gear features make light work of tough jobs and because the 'M' Series is part of the Fieldmaster range you know their rugged construction will give you years of trouble free work. 'M' Series is a real versatile multiuse, multipurpose machine designed for the rigours of the way, be it pasture topping, mowing down orchard or vineyard rows, cutting light weeds or gorse regrowth, 'M' Series will come through unscathed!


## Options Available

- 4 blade cutting kit on square plate
- Full width rear roller
- Anti-windrow spreader vane (helps to spread cut grass)
- Friction or over-run clutch on driveshaft
- Left hand side discharge with open skid





# THE 'H.D.' SERIES



Maximising land use and your returns are of primary importance. Rushes, gorse regrowth, thistles and other rubbish directly affect your profits. Flailmaster H.D. range successfully rehabilitates marginal scrubby pasture by destroying unwanted plant pests (up to 40mm diameter) and discharging mulch to encourage good grass regrowth. Exceptionally high clearance makes the H.D. an excellent all round paddock maintenance machine and pasture topper. Improved 4 blade multicut system offers effective mulching with faster ground speed than traditional flail mulchers. Two blade heights give added cutting power with effective "cut and drop" for rubbish and prunings.

## Options Available

- 4 blade mulching kit (see above) - std with 2 heavy axe head flails
- Full width rear roller
- Friction slip clutch on PTO
- Over-running clutch on PTO
- 1000 rpm (130hp) gearbox



# SPECIFICATIONS

## THE FIELDMASTER STORY

Our equipment is designed and manufactured right here in New Zealand using the highest quality materials. Strength and reliability are built in, ensuring a low total cost of ownership and a nationwide dealership network with parts and support minimises downtime and maximises productivity. So if you're looking for equipment that, like you, isn't shy of hard work, choose Fieldmaster - every time.



**FIELDMASTER**

[www.fieldmaster.co.nz](http://www.fieldmaster.co.nz)

68 ADAMS DRIVE, PO BOX 158,  
PUKEKOHE 2340, NEW ZEALAND  
PHONE 64 9 237 1500  
FAX 64 9 239 0672  
[sales@fieldmaster.co.nz](mailto:sales@fieldmaster.co.nz)

Model	Sabre 1200	Sabre 1500	M-60	M-70
Cutting Width (mm)	1035	1385	1445	1730
Overall Width (mm)	1210	1525	1640	1945
Cutting Height Range (mm)	10 – 85	10 – 85	20 – 120	20 – 120
Weight (Kg)	142	198	280	426
Tractor HP Range	18 – 40	18 – 40	35 – 80	35 – 80
No. Cutting tips	2 or 4	2 or 4	2 or 4	2 or 4
3 pt linkage type	Cat. 1	Cat. 1	Cat. 1 + 2	Cat. 1 + 2
3 pt linkage offset (mm)	150	150	240	2

Model	HD-60	HD-70
Cutting Width (mm)	1480	1780
Overall Width (mm)	1650	1960
Cutting Height Range (mm)	25 – 150	25 – 150
Weight (Kg)	430	552
Tractor HP Range	50 – 100	50 – 130
No. Cutting tips	2 or 4	2 or 4
3 pt linkage type	Cat. 1 + 2	Cat. 1 + 2
3 pt linkage offset (mm)	N/A	N/A



**SABRE**



**M-SERIES**



**HD-SERIES**

**Your authorised Fieldmaster dealer is:**

